

CORAL ROCK BUCKET

RECOMMENDED APPLICATIONS:

Specifically designed for the "peeling" required to dig coral rock. These buckets can also be used in other applications such as demolition work, highly abrasive applications, shot rock, and moderate prying.

QUALITY CONSTRUCTION:


High strength, wear resistant steel is utilized in all critical and high wear components. The cutting edge is backed by a wear plate that covers the entire bucket bottom. Side wear plates protect the bucket sides. Each bucket is engineered with tapered side plates to reduce wear on the buckets sides, and to allow for easier dumping. The cutting edge on this bucket is designed with additional thickness. The cutting edge is protected by an increased number of smaller teeth.

CUTTING EQUIPMENT OPTIONS:

A variety of high quality brand teeth are available to choose from.

STANDARD SIZES AVAILABLE:

.78 cu. ft. to 17.1 cu. ft. of various widths are available.



ADDITIONAL FEATURES::

Side cutters are optional for additional side clearance. Box rippers are available for this bucket and can be installed upon request. Special designs and capacities are available. Please request a quote from a Dealer or contact Werk-Brau directly.

UNIVERSAL 1 - STANDARD BACKHOES

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
CORAL12WMN2	12"	13"	2.75	3.25	4	430
CORAL16WMN2	16"	17"	3.64	4.30	5	465
CORAL18WMN2	18"	19"	4.15	4.90	6	490
CORAL20WMN2	20"	21"	4.58	5.40	6	500
CORAL24WMN2	24"	25"	5.68	6.70	8	540
CORAL30WMN2	30"	31"	7.29	8.60	10	595

CONTINUED ON NEXT PAGE

CORAL ROCK BUCKET

MINI 05 CLASS

2,150 TO 4,900 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
05MNCR8	8"	9"	0.65	0.78	3	110
05MNCR10	10"	11"	0.73	0.87	3	115
05MNCR12	12"	13"	0.80	1.00	4	120
05MNCR18	18"	19"	1.10	1.50	6	140
05MNCR24	24"	25"	1.70	2.20	8	160

MINI 76 CLASS

2,150 TO 4,900 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
76MNCR12	12"	13"	1.05	1.40	4	160
76MNCR16	16"	17"	1.35	1.90	5	175
76MNCR18	18"	19"	1.70	2.20	6	185
76MNCR20	20"	21"	2.00	2.50	6	195
76MNCR24	24"	25"	2.50	3.00	8	210

MINI 1 CLASS

5,000 TO 7,500 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
1MNCR12	12"	13"	1.77	2.13	4	205
1MNCR16	16"	17"	2.36	2.83	5	235
1MNCR18	18"	19"	2.66	3.19	6	245
1MNCR20	20"	21"	2.96	3.54	6	260
1MNCR24	24"	25"	3.54	4.25	8	290

MINI 15 CLASS

7,500 TO 11,000 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
15MNCR12	12"	13"	2.40	3.00	4	300
15MNCR16	16"	17"	3.20	4.00	5	320
15MNCR18	18"	19"	3.60	4.50	6	340
15MNCR20	20"	21"	4.00	5.10	6	350
15MNCR24	24"	25"	5.00	6.30	8	370

CONTINUED ON NEXT PAGE

CORAL ROCK BUCKET

MINI 2 & U2 BH CLASS

7,500 TO 11,000 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
2MNCR12	12"	13"	2.60	3.25	4	320
2MNCR16	16"	17"	3.50	4.30	5	330
2MNCR18	18"	19"	3.90	4.90	6	350
2MNCR20	20"	21"	4.30	5.40	6	380
2MNCR24	24"	25"	5.20	6.70	8	420
2MNCR30	30"	31"	6.50	8.60	10	460

MINI 3 CLASS

11,000 TO 14,000 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
3MNCR16	16"	17"	4.60	4.80	5	440
3MNCR18	18"	19"	5.10	5.60	6	495
3MNCR20	20"	21"	5.70	5.90	6	530
3MNCR24	24"	25"	6.80	8.00	8	560
3MNCR30	30"	31"	8.40	10.50	10	690

MINI 4 CLASS

14,000 TO 16,000 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
4MNCR18	18"	19"	5.80	6.80	5	490
4MNCR20	20"	21"	6.40	7.60	6	540
4MNCR24	24"	25"	7.60	9.20	6	570
4MNCR30	30"	31"	9.60	11.90	8	620

MINI 5 CLASS

16,000 TO 25,000 LBS

PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
5MNCR18	18"	19"	6.80	7.90	4	690
5MNCR20	20"	21"	7.50	8.90	4	710
5MNCR24	24"	25"	9.00	10.90	5	730
5MNCR30	30"	31"	11.30	14.00	7	760
5MNCR36	36"	37"	13.50	17.10	8	830