

# EXTREME DUTY BUCKETS

## RECOMMENDED APPLICATIONS:

Designed with an aggressive dig angle to effectively excavate in the toughest conditions. Ideal applications for this bucket include but are not limited to demolition work, shot rock, high abrasive applications, and moderate prying. When paired with a thumb, this bucket can also be used for material handling.

## QUALITY CONSTRUCTION:

T-1 steel is utilized in all critical or high wear components. This bucket features tapered side plates, horizontal wear straps, and an extra thick cutting edge is backed by a wear plate that covers the entire bucket bottom. Side wear plates protect the bucket sides in the high wear areas and extend the buckets operation life.

## CUTTING EQUIPMENT OPTIONS:

Equipped with industry standard teeth for extra durability. In most cases, the tooth size is increased to tolerate the more extreme digging application

## STANDARD SIZES AVAILABLE:

3/8 cubic yds. to 4 cubic yds. of various widths are available. Special designs and capacities available upon request.

## ADDITIONAL FEATURES:

Bolt-on side cutters are highly recommended for added endurance. Box rippers are available and can be installed upon request. Special designs and capacities are available, please request a quote from your local dealer.



## 25 METRIC TON - 50,000 TO 59,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E25ED24	24"	26"	0.67	0.79	3	2,390
E25ED30	30"	32"	0.84	1.02	4	2,640
E25ED36	36"	38"	1.01	1.25	5	2,970
E25ED42	42"	44"	1.18	1.48	5	3,220
E25ED48	48"	50"	1.35	1.72	6	3,580
E25ED54	54"	56"	1.52	1.96	6	3,940

CONTINUED ON NEXT PAGE

# EXTREME DUTY BUCKETS

## 30 METRIC TON - 59,000 TO 68,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E30ED24	24"	26"	0.74	0.86	3	2,500
E30ED30	30"	32"	0.92	1.11	4	2,860
E30ED36	36"	38"	1.11	1.36	4	3,165
E30ED42	42"	44"	1.29	1.62	5	3,500
E30ED48	48"	50"	1.48	1.88	5	3,775
E30ED54	54"	56"	1.66	2.14	6	4,165
E30ED60	60"	62"	1.85	2.40	6	4,550

## 35 METRIC TON - 68,000 TO 82,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E35ED24	24"	26"	0.80	0.93	3	2,920
E35ED30	30"	32"	1.00	1.20	4	3,250
E35ED36	36"	38"	1.20	1.47	4	3,580
E35ED42	42"	44"	1.40	1.75	5	4,000
E35ED48	48"	50"	1.60	2.03	5	4,275
E35ED54	54"	56"	1.80	2.31	6	4,690
E35ED60	60"	62"	2.00	2.60	6	4,970

## 40 METRIC TON - 82,000 TO 105,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E40ED24	24"	26"	0.94	1.09	3	3,330
E40ED30	30"	32"	1.18	1.39	3	3,690
E40ED36	36"	38"	1.41	1.71	4	4,100
E40ED42	42"	44"	1.65	2.03	5	4,550
E40ED48	48"	50"	1.88	2.36	5	4,860
E40ED54	54"	56"	2.12	2.69	6	5,330
E40ED60	60"	62"	2.35	3.03	6	5,800

CONTINUED ON NEXT PAGE

# EXTREME DUTY BUCKETS

## 55 METRIC TON - 105,000 TO 125,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E55ED42	42"	48"	2.09	2.53	4	6,987
E55ED48	48"	54"	2.44	3	5	7,599
E55ED54	54"	60"	2.78	3.46	5	8,060
E55ED60	60"	66"	3.12	4	5	8,507
E55ED66	66"	72"	3.46	4.42	6	9,120
E55ED72	72"	78"	3.8	4.9	6	10,640

## 65 METRIC TON - 125,000 TO 150,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E65ED42	42"	48"	2.29	2.75	4	7,200
E65ED48	48"	54"	2.66	3.24	5	7,800
E65ED54	54"	60"	3.03	3.75	5	8,267
E65ED60	60"	66"	3.41	4.27	6	8,867
E65ED66	66"	72"	3.78	4.79	6	9,294
E65ED72	72"	78"	4.15	5.31	6	9,734
E65SD84	84"	89"	4.83	6.27	6	10,134

## 75 METRIC TON - 154,000 TO 180,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E75ED54	54"	61"	3.16	3.88	4	9,250
E75ED60	60"	67"	3.56	4.43	5	10,015
E75ED66	66"	73"	3.96	5	5	10,550
E75ED72	72"	79"	4.36	5.54	5	11,080
E75ED78	78"	85"	4.75	6.1	6	11,850
E75ED84	84"	91"	5.12	6.65	6	12,370

CONTINUED ON NEXT PAGE

# EXTREME DUTY BUCKETS

## 85 METRIC TON - 176,000 TO 200,000 LBS

PART NUMBER	BUCKET WIDTH	BUCKET CUT	CAPACITY STRUCK	CAPACITY RATED	NO. OF TEETH	WEIGHT
E85ED54	54"	61"	3.57	4.38	4	10,774
E85ED60	60"	67"	4.02	5	5	11,629
E85ED66	66"	73"	4.57	5.63	5	12,172
E85ED72	72"	79"	4.91	6.27	5	12,714
E85ED78	78"	85"	5.36	6.9	6	13,515
E85SD80	80"	87"	5.51	7.12	6	13,732
E85ED84	84"	91"	5.81	7.54	6	14,071

CONTINUED ON NEXT PAGE