

# EXCAVATOR HEAVY DUTY BUCKET

## RECOMMENDED APPLICATIONS:

Specifically designed for tough clay or dirt with rock scattered through the soil. Werk-Brau does not recommend using this bucket for prying required to dig solid rock. For extreme digging conditions see the 'Severe Duty Bucket', 'Extreme Duty Bucket' and 'V-Line Strata Rock Bucket'.

## QUALITY CONSTRUCTION:

High quality T-1 steel is utilized in all critical or high wear components to ensure that this bucket has a long operation life. Heavy duty cast material is used in the bucket's cutter bit. The cutting edge is backed by a heavy reinforcing plate with straps protecting the rest of the bottom. Side wear plates reinforce the sides for backfilling. Each bucket is engineered with tapered side plates to reduce wear on the bucket's sides, and to allow for easier dumping.

## TOOTH EQUIPMENT OPTIONS:

Equipped with industry standard teeth for extra durability. A selection of quality brand teeth are available to choose from. Bolt on cutting edges are optional. Bolt on side cutters are highly recommended.

## STANDARD SIZES AVAILABLE:

Available: 3/8 cubic yds. to 6-1/2 cubic yds. of various widths are available. Special designs and capacities available upon request.

## ADDITIONAL FEATURES::

Bolt-on side cutters are highly recommended for added endurance.



CONTINUED ON NEXT PAGE

# EXCAVATOR HEAVY DUTY BUCKET

## HEAVY DUTY BUCKET - 49" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX12HD18    | 18"          | 20"        | 0.31            | 0.36           | 3            | 850    |
| EX12HD24    | 24"          | 26"        | 0.41            | 0.50           | 4            | 1,000  |
| EX12HD30    | 30"          | 32"        | 0.52            | 0.65           | 4            | 1,150  |
| EX12HD36    | 36"          | 38"        | 0.62            | 0.79           | 5            | 1,300  |
| EX12HD42    | 42"          | 44"        | 0.73            | 0.93           | 5            | 1,425  |
| EX12HD48    | 48"          | 50"        | 0.83            | 1.08           | 6            | 1,600  |

## HEAVY DUTY HIGH CAPACITY BUCKET - 51" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX12HDC18   | 18"          | 20"        | 0.36            | 0.42           | 3            | 950    |
| EX12HDC24   | 24"          | 26"        | 0.48            | 0.58           | 4            | 1,125  |
| EX12HDC30   | 30"          | 32"        | 0.60            | 0.74           | 4            | 1,275  |
| EX12HDC36   | 36"          | 38"        | 0.72            | 0.91           | 5            | 1,425  |
| EX12HDC42   | 42"          | 44"        | 0.84            | 1.08           | 5            | 1,525  |
| EX12HDC48   | 48"          | 50"        | 0.96            | 1.25           | 6            | 1,725  |

## HEAVY DUTY BUCKET - 51" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX15HD18    | 18"          | 20"        | 0.36            | 0.42           | 3            | 950    |
| EX15HD24    | 24"          | 26"        | 0.48            | 0.58           | 4            | 1,125  |
| EX15HD30    | 30"          | 32"        | 0.60            | 0.74           | 4            | 1,350  |
| EX15HD36    | 36"          | 38"        | 0.72            | 0.91           | 5            | 1,425  |
| EX15HD42    | 42"          | 44"        | 0.84            | 1.08           | 5            | 1,525  |
| EX15HD48    | 48"          | 50"        | 0.96            | 1.25           | 6            | 1,725  |

## HEAVY DUTY HIGH CAPACITY BUCKET - 56" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX15HDC18   | 18"          | 20"        | 0.41            | 0.47           | 3            | 1,300  |
| EX15HDC24   | 24"          | 26"        | 0.55            | 0.65           | 4            | 1,475  |
| EX15HDC30   | 30"          | 32"        | 0.68            | 0.84           | 4            | 1,625  |
| EX15HDC36   | 36"          | 38"        | 0.82            | 1.03           | 5            | 1,825  |
| EX15HDC42   | 42"          | 44"        | 0.96            | 1.22           | 5            | 2,000  |
| EX15HDC48   | 48"          | 50"        | 1.09            | 1.41           | 6            | 2,200  |

# EXCAVATOR HEAVY DUTY BUCKET

## HEAVY DUTY BUCKET - 57" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX20HD24    | 24"          | 26"        | 0.55            | 0.65           | 4            | 1,500  |
| EX20HD30    | 30"          | 32"        | 0.68            | 0.84           | 4            | 1,675  |
| EX20HD36    | 36"          | 38"        | 0.82            | 1.03           | 5            | 1,900  |
| EX20HD42    | 42"          | 44"        | 0.96            | 1.22           | 5            | 2,050  |
| EX20HD48    | 48"          | 50"        | 1.09            | 1.41           | 6            | 2,275  |
| EX20HD54    | 54"          | 56"        | 1.23            | 1.60           | 6            | 2,450  |

## HEAVY DUTY HIGH CAPACITY BUCKET - 62" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX20HDC24   | 24"          | 26"        | 0.67            | 0.79           | 4            | 1,825  |
| EX20HDC30   | 30"          | 32"        | 0.84            | 1.02           | 4            | 2,000  |
| EX20HDC36   | 36"          | 38"        | 1.01            | 1.25           | 5            | 2,250  |
| EX20HDC36   | 42"          | 44"        | 1.18            | 1.48           | 5            | 2,425  |
| EX20HDC48   | 48"          | 50"        | 1.35            | 1.72           | 6            | 2,650  |
| EX20HDC54   | 54"          | 56"        | 1.52            | 1.96           | 6            | 2,875  |

## HEAVY DUTY BUCKET - 62" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX25HD24    | 24"          | 26"        | 0.67            | 0.79           | 3            | 1,825  |
| EX25HD30    | 30"          | 32"        | 0.84            | 1.02           | 4            | 2,000  |
| EX25HD36    | 36"          | 38"        | 1.01            | 1.25           | 5            | 2,250  |
| EX25HD42    | 42"          | 44"        | 1.18            | 1.48           | 5            | 2,425  |
| EX25HD48    | 48"          | 50"        | 1.35            | 1.72           | 6            | 2,650  |
| EX25HD54    | 54"          | 56"        | 1.52            | 1.96           | 6            | 2,875  |
| EX25HD60    | 60"          | 62"        | 1.68            | 2.19           | 6            | 3,050  |

# EXCAVATOR HEAVY DUTY BUCKET

## HEAVY DUTY HIGH CAPACITY BUCKET - 67" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX25HDC24   | 24"          | 26"        | 0.74            | 0.86           | 3            | 1,900  |
| EX25HDC30   | 30"          | 32"        | 0.92            | 1.11           | 4            | 2,100  |
| EX25HDC36   | 36"          | 38"        | 1.11            | 1.36           | 5            | 2,350  |
| EX25HDC42   | 42"          | 44"        | 1.29            | 1.62           | 5            | 2,525  |
| EX25HDC48   | 48"          | 50"        | 1.48            | 1.88           | 6            | 2,750  |
| EX25HDC54   | 54"          | 56"        | 1.66            | 2.14           | 6            | 2,950  |
| EX25HDC60   | 60"          | 62"        | 1.85            | 2.40           | 6            | 3,125  |

## HEAVY DUTY BUCKET - 65" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX30HD24    | 24"          | 26"        | 0.74            | 0.86           | 3            | 1,875  |
| EX30HD30    | 30"          | 32"        | 0.92            | 1.11           | 4            | 2,125  |
| EX30HD36    | 36"          | 38"        | 1.11            | 1.36           | 4            | 2,375  |
| EX30HD42    | 42"          | 44"        | 1.29            | 1.62           | 5            | 2,575  |
| EX30HD48    | 48"          | 50"        | 1.48            | 1.88           | 5            | 2,775  |
| EX30HD54    | 54"          | 56"        | 1.66            | 2.14           | 6            | 3,025  |
| EX30HD60    | 60"          | 62"        | 1.85            | 2.40           | 6            | 3,275  |
| EX30HD66    | 66"          | 68"        | 2.03            | 2.66           | 7            | 3,425  |

## HEAVY DUTY HIGH CAPACITY BUCKET - 67" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX32HDC24   | 24"          | 26"        | 0.80            | 0.93           | 3            | 2,250  |
| EX32HDC30   | 30"          | 32"        | 1.00            | 1.20           | 4            | 2,550  |
| EX32HDC36   | 36"          | 38"        | 1.20            | 1.47           | 4            | 2,775  |
| EX32HDC42   | 42"          | 44"        | 1.40            | 1.75           | 5            | 3,075  |
| EX32HDC48   | 48"          | 50"        | 1.60            | 2.03           | 5            | 3,275  |
| EX32HDC54   | 54"          | 56"        | 1.80            | 2.31           | 6            | 3,575  |
| EX32HDC60   | 60"          | 62"        | 2.00            | 2.60           | 6            | 3,800  |
| EX32HDC66   | 66"          | 68"        | 2.21            | 2.88           | 7            | 4,075  |

# EXCAVATOR HEAVY DUTY BUCKET

## HEAVY DUTY BUCKET - 67" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX35HD24    | 24"          | 26'        | 0.80            | 0.93           | 3            | 2,250  |
| EX35HD30    | 30"          | 32"        | 1.00            | 1.20           | 4            | 2,550  |
| EX35HD36    | 36"          | 38"        | 1.20            | 1.47           | 4            | 2,775  |
| EX35HD42    | 42"          | 44"        | 1.40            | 1.75           | 5            | 3,075  |
| EX35HD48    | 48"          | 50"        | 1.60            | 2.03           | 5            | 3,275  |
| EX35HD54    | 54"          | 56"        | 1.80            | 2.31           | 6            | 3,575  |
| EX35HD60    | 60"          | 62"        | 2.00            | 2.60           | 6            | 3,800  |
| EX35HD66    | 66"          | 68"        | 2.21            | 2.88           | 7            | 4,075  |
| EX35HD72    | 72"          | 74"        | 2.42            | 3.16           | 7            | 4,340  |

## HEAVY DUTY HIGH CAPACITY BUCKET - 73" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX35HDC24   | 24"          | 26"        | 0.94            | 1.09           | 3            | 2,600  |
| EX35HDC30   | 30"          | 32"        | 1.18            | 1.39           | 4            | 2,950  |
| EX35HDC36   | 36"          | 38"        | 1.41            | 1.71           | 4            | 3,200  |
| EX35HDC42   | 42"          | 44"        | 1.65            | 2.03           | 5            | 3,525  |
| EX35HDC48   | 48"          | 50"        | 1.88            | 2.36           | 5            | 3,775  |
| EX35HDC54   | 54"          | 56"        | 2.12            | 2.69           | 6            | 4,125  |
| EX35HDC60   | 60"          | 62"        | 2.35            | 3.03           | 6            | 4,350  |
| EX35HDC66   | 66"          | 68"        | 2.59            | 3.36           | 7            | 4,675  |

## HEAVY DUTY BUCKET - 73" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX40HD24    | 24"          | 26"        | 0.94            | 1.09           | 3            | 2,600  |
| EX40HD30    | 30"          | 32"        | 1.18            | 1.39           | 4            | 2,950  |
| EX40HD36    | 36'          | 38"        | 1.41            | 1.71           | 4            | 3,200  |
| EX40HD42    | 42"          | 44"        | 1.65            | 2.03           | 5            | 3,525  |
| EX40HD48    | 48"          | 50"        | 1.88            | 2.36           | 5            | 3,775  |
| EX40HD54    | 54"          | 56"        | 2.12            | 2.69           | 6            | 4,125  |
| EX40HD60    | 60"          | 62'        | 2.35            | 3.03           | 6            | 4,350  |
| EX40HD66    | 66"          | 68"        | 2.59            | 3.36           | 7            | 4,675  |
| EX40HD72    | 72"          | 74"        | 2.83            | 3.69           | 7            | 4,900  |

# EXCAVATOR HEAVY DUTY BUCKET

## HEAVY DUTY HIGH CAPACITY BUCKET - 81" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX40HDC24   | 24"          | 26"        | 1.21            | 1.38           | 3            | 2,820  |
| EX40HDC30   | 30"          | 32"        | 1.49            | 1.72           | 4            | 3,200  |
| EX40HDC36   | 36"          | 38"        | 1.74            | 2.05           | 4            | 3,460  |
| EX40HDC42   | 42"          | 44"        | 2.03            | 2.44           | 5            | 3,820  |
| EX40HDC48   | 48"          | 50"        | 2.32            | 2.83           | 5            | 4,100  |
| EX40HDC54   | 54"          | 56"        | 2.60            | 3.22           | 6            | 4,470  |
| EX40HDC60   | 60"          | 62"        | 2.89            | 3.62           | 6            | 4,710  |
| EX40HDC66   | 66"          | 68"        | 3.18            | 4.01           | 7            | 5,060  |
| EX40HDC72   | 72"          | 74"        | 3.47            | 4.37           | 7            | 5,310  |
| EX40HDC78   | 78"          | 80"        | 3.75            | 4.73           | 7            | 5,550  |

## HEAVY DUTY EXTRA HIGH CAPACITY BUCKET - 81" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX42HDC24   | 24"          | 26"        | 1.26            | 1.60           | 3            | 3,030  |
| EX42HDC30   | 30"          | 32"        | 1.57            | 1.99           | 4            | 3,435  |
| EX42HDC36   | 36"          | 38"        | 1.90            | 2.40           | 4            | 3,725  |
| EX42HDC42   | 42"          | 44"        | 2.30            | 2.85           | 5            | 4,099  |
| EX42HDC48   | 48"          | 50"        | 2.62            | 3.30           | 5            | 4,390  |
| EX42HDC54   | 54"          | 56"        | 2.98            | 3.75           | 6            | 4,799  |
| EX42HDC60   | 60"          | 62"        | 3.30            | 4.18           | 6            | 5,060  |
| EX42HDC66   | 66"          | 68"        | 3.65            | 4.58           | 7            | 5,440  |
| EX42HDC72   | 72"          | 74"        | 3.96            | 5.00           | 7            | 5,700  |
| EX42HDC78   | 78"          | 80"        | 4.30            | 5.40           | 7            | 5,965  |
| EX42HDC84   | 84"          | 86"        | 4.60            | 5.82           | 8            | 6,345  |

## HEAVY DUTY BUCKET - 80" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX50HD30    | 30"          | 32"        | 1.34            | 1.58           | 4            | 4,250  |
| EX50HD36    | 36"          | 38"        | 1.61            | 1.94           | 4            | 4,550  |
| EX50HD42    | 42"          | 44"        | 1.88            | 2.31           | 5            | 4,950  |
| EX50HD48    | 48"          | 50"        | 2.15            | 2.68           | 5            | 5,225  |
| EX50HD54    | 54"          | 56"        | 2.42            | 3.05           | 6            | 5,650  |
| EX50HD60    | 60"          | 62"        | 2.69            | 3.44           | 6            | 5,950  |
| EX50HD66    | 66"          | 68"        | 2.96            | 3.82           | 7            | 6,350  |
| EX50HD72    | 72"          | 74"        | 3.23            | 4.20           | 7            | 6,750  |

# EXCAVATOR HEAVY DUTY BUCKET

## HEAVY DUTY HIGH CAPACITY BUCKET - 84" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX50HDC30   | 30"          | 32"        | 1.68            | 1.96           | 4            | 4,525  |
| EX50HDC36   | 36"          | 38"        | 2.02            | 2.40           | 4            | 4,580  |
| EX50HDC42   | 42"          | 44"        | 2.36            | 2.85           | 5            | 5,275  |
| EX50HDC48   | 48"          | 50"        | 2.70            | 3.31           | 5            | 5,600  |
| EX50HDC54   | 54"          | 56"        | 3.03            | 3.78           | 6            | 6,025  |
| EX50HDC60   | 60"          | 62"        | 3.37            | 4.26           | 6            | 6,350  |
| EX50HDC66   | 66"          | 68"        | 3.71            | 4.74           | 7            | 6,800  |
| EX50HDC72   | 72"          | 74"        | 4.04            | 5.21           | 7            | 7,300  |

## HEAVY DUTY BUCKET - 82" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX60HD36    | 36"          | 38"        | 1.81            | 2.16           | 4            | 4,650  |
| EX60HD42    | 42"          | 44"        | 2.12            | 2.57           | 4            | 4,975  |
| EX60HD48    | 48"          | 50"        | 2.42            | 2.99           | 4            | 5,325  |
| EX60HD54    | 54"          | 56"        | 2.72            | 3.41           | 5            | 5,775  |
| EX60HD60    | 60"          | 62"        | 3.02            | 3.84           | 5            | 6,100  |
| EX60HD66    | 66"          | 68"        | 3.33            | 4.27           | 6            | 6,550  |
| EX60HD72    | 72"          | 74"        | 3.63            | 4.69           | 6            | 6,900  |
| EX60HD84    | 84"          | 86"        | 4.23            | 5.55           | 7            | 7,675  |

## HEAVY DUTY HIGH CAPACITY BUCKET - 85" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX60HDC36   | 36"          | 38"        | 2.02            | 2.40           | 4            | 5,000  |
| EX60HDC42   | 42"          | 44"        | 2.36            | 2.85           | 4            | 5,325  |
| EX60HDC48   | 48"          | 50"        | 2.70            | 3.31           | 4            | 5,675  |
| EX60HDC54   | 54"          | 56"        | 3.03            | 3.78           | 5            | 6,100  |
| EX60HDC60   | 60"          | 62"        | 3.37            | 4.26           | 5            | 6,475  |
| EX60HDC66   | 66"          | 68"        | 3.71            | 4.74           | 6            | 6,950  |
| EX60HDC72   | 72"          | 74"        | 4.04            | 5.21           | 6            | 7,250  |
| EX60HDC78   | 78"          | 80"        | 4.38            | 5.69           | 7            | 7,600  |
| EX60HDC84   | 84"          | 86"        | 4.72            | 6.17           | 7            | 8,050  |

# EXCAVATOR HEAVY DUTY BUCKET

## HEAVY DUTY EXTRA HIGH CAPACITY BUCKET - 85" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX65HDC42   | 42"          | 44"        | 3.40            | 4.24           | 4            | 6,000  |
| EX65HDC48   | 48"          | 50"        | 3.69            | 4.61           | 4            | 6,450  |
| EX65HDC54   | 54"          | 56"        | 4.01            | 5.01           | 5            | 6,900  |
| EX65HDC60   | 60"          | 62"        | 4.36            | 5.45           | 5            | 7,350  |
| EX65HDC66   | 66"          | 68"        | 4.74            | 5.92           | 6            | 7,800  |
| EX65HDC72   | 72"          | 74"        | 5.02            | 6.44           | 6            | 8,250  |
| EX65HDC78   | 78"          | 80"        | 5.46            | 7.00           | 7            | 8,750  |
| EX65HDC84   | 84"          | 86"        | 5.93            | 7.60           | 7            | 9,200  |

## HEAVY DUTY BUCKET - 86" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX70HD36    | 36"          | 38"        | 2.02            | 2.40           | 4            | 5,475  |
| EX70HD42    | 42"          | 44"        | 2.36            | 2.85           | 4            | 5,925  |
| EX70HD48    | 48"          | 50"        | 2.70            | 3.31           | 4            | 6,300  |
| EX70HD54    | 54"          | 56"        | 3.03            | 3.78           | 5            | 6,650  |
| EX70HD60    | 60"          | 62"        | 3.37            | 4.26           | 5            | 7,150  |
| EX70HD66    | 66"          | 68"        | 3.71            | 4.74           | 6            | 7,500  |
| EX70HD72    | 72"          | 74"        | 4.04            | 5.21           | 6            | 7,975  |
| EX70HD84    | 84"          | 86"        | 4.72            | 6.17           | 7            | 8,375  |

## HEAVY DUTY HIGH CAPACITY BUCKET - 92" TIP RADIUS AVERAGE

| PART NUMBER | BUCKET WIDTH | BUCKET CUT | CAPACITY STRUCK | CAPACITY RATED | NO. OF TEETH | WEIGHT |
|-------------|--------------|------------|-----------------|----------------|--------------|--------|
| EX70HDC36   | 36"          | 38"        | 2.76            | 3.30           | 4            | 5,900  |
| EX70HDC42   | 42"          | 44"        | 3.15            | 3.84           | 4            | 6,275  |
| EX70HDC48   | 48"          | 50"        | 3.55            | 4.38           | 4            | 6,775  |
| EX70HDC54   | 54"          | 56"        | 3.94            | 4.94           | 5            | 7,150  |
| EX70HDC60   | 60"          | 62"        | 4.34            | 5.49           | 5            | 7,650  |
| EX70HDC66   | 66"          | 68"        | 4.73            | 6.05           | 6            | 8,000  |
| EX70HDC72   | 72"          | 74"        | 5.12            | 6.61           | 6            | 8,500  |
| EX70HDC78   | 78"          | 80"        | 5.52            | 7.17           | 7            | 9,100  |
| EX70HDC84   | 84"          | 86"        | 5.92            | 7.73           | 7            | 9,500  |