

GENERAL PURPOSE HIGH PERFORMANCE BUCKET

RECOMMENDED APPLICATIONS:

The Werk-Brau General Purpose High Performance Bucket has an enhanced high-performance profile. This bucket holds approximately 5% more than our General Purpose Bucket. Specifically designed to dig in virgin soil and re-handle materials up to 3,200 lbs/cubic yard in density.

QUALITY CONSTRUCTION:

High-strength, abrasion-resistant steel is utilized in all critical components. All seams are welded solid for extra durability. Each bucket has curved side plates for maximum material retention. An inclined bottom reduces loading force and an increased roll back angle for material retention. The beveled design also allows for a higher material retention.

TOOTH EQUIPMENT OPTIONS:

Auxiliary edge and teeth are available upon request.

STANDARD SIZES AVAILABLE:

2.0 cu. yd. to 9.0 cu. yd. of various widths are available. Special designs and capacities available upon request.

ADDITIONAL FEATURES:

Bucket design incorporates an inclined bottom to reduce loading forces. Strong top design withstands high-digging forces exerted by today's machines, and curved side wall to allow to a higher yield in capacity.



GENERAL PURPOSE HIGH PERFORMANCE BUCKET

GENERAL PURPOSE HIGH PERFORMANCE LOADER BUCKET

LOADER CLASS	PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	WEIGHT
BH	WBLH82100	82"	83"	0.85	1.00	1,050
	WBLH92125	92"	93"	1.06	1.25	1,125
	WBLH96150	96"	97"	1.27	1.50	1,200
MINI	LHG055450	54"	55"	0.42	0.50	700
	LHG056275	62"	63"	0.64	0.75	775
	LHG0574100	74"	75"	0.85	1.00	825
	LHG0574125	74"	75"	1.00	1.25	890
	WL05GP84SSL125W	84"	85"	1.00	1.25	1,050
	WL05GP84SSL150W	84"	85"	1.30	1.50	1,090
1	LHG14750	47"	48"	0.42	0.50	850
	LHG166100	66"	69"	0.85	1.00	1,050
	LHG188125	88"	91"	1.06	1.25	1,300
	LHG196150	96"	99"	1.27	1.50	1,675
	LHG1100200	100"	102"	1.69	2.00	1,880
	LHG1100225	100"	102"	1.91	2.25	1,950
	LHG1100250	100"	102"	2.17	2.50	2,040
2	LHG2100200	100"	102"	1.69	2.00	1,880
	LHG2100225	100"	102"	1.91	2.25	1,950
	LHG2100250	100"	102"	2.17	2.50	2,040
	LHG2100275	100"	102"	2.33	2.75	2,175
	LHG2100300	100"	102"	2.54	3.00	2,270
3	LHG3100250	100"	102"	2.17	2.50	2,040
	LHG3100275	100"	102"	2.33	2.75	2,175
	LHG3100300	100"	102"	2.54	3.00	2,270

GENERAL PURPOSE HIGH PERFORMANCE BUCKET

GENERAL PURPOSE HIGH PERFORMANCE LOADER BUCKET

LOADER CLASS	PART NUMBER	BUCKET WIDTH	EDGE LENGTH	CAPACITY STRUCK	CAPACITY RATED	WEIGHT
3.5	LHG35105300	105"	107"	2.54	3.00	2,790
	LHG35105325	105"	107"	2.75	3.25	2,870
	LHG35105350	105"	107"	2.97	3.50	2,960
	LHG35105375	105"	107"	3.18	3.75	3,090
4	LHG4117350	117"	119"	2.97	3.50	3,300
	LHG4117400	117"	119"	3.30	4.00	3,520
	LHG4117425	117"	119"	3.60	4.25	3,590
	LHG4117450	117"	119"	3.81	4.50	3,690
	LHG4117475	117"	119"	3.96	4.75	3,850
	LHG4117500	117"	119"	4.22	5.00	3,950
	LHG4117525	117"	119"	4.40	5.25	4,000
5	LHG5124475	124"	126"	3.95	4.75	4,650
	LHG5124500	124"	126"	4.24	5.00	4,750
	LHG5124525	124"	126"	4.45	5.25	4,900
	LHG5124550	124"	126"	4.60	5.50	5,020
	LHG5124575	124"	126"	4.87	5.75	5,120
	LHG5124600	124"	126"	5.08	6.00	5,250
	LHG5124625	124"	126"	5.23	6.25	5,380
6	LHG6134650	134"	134"	5.51	6.50	5,950
	LHG6134750	134"	134"	6.25	7.50	6,350
	LHG6134800	134"	134"	6.36	7.50	6,100
	LHG6138750	138"	141"	6.78	8.00	6,500
7	LHG7144700	144"	147"	5.60	7.00	7,200
	LHG7144800	144"	147"	6.70	8.00	8,000
	LHG7144900	144"	147"	7.60	9.00	9,700
	LHG71441000	144"	147"	8.70	10.00	10,500